

Introduction (recap)

Ádám T. Kocsis (adam.kocsis@fau.de)




Schedule

	Monday	Tuesday	Wednesday	Thursday	Friday
Instructor	Adam	Adam	Chris and Sebastian	Adam and Wolfgang	Adam
Where	Henkestr.	Henkestr.	Tennenlohe	Henkestr.	Henkestr.
Morning	10:00-12:00	9:00-12:00	9:00 – 16:00	8:30-9:30 10:00 – 11:00 Msc Welcome event @ GeoZentrum!	8:30-11:30
Afternoon	13:00-16:00	13:00-16:00		12:30-16:00 (Wolfgang)	12:30-15:00

<https://tinyurl.com/4nfsuehb>

Objectives

1. Confidence with **files, directories and paths**
 2. Experience with **raster** and **vector graphics**
 3. Essential of the **BASH** Shell/Language
 4. Better understand **programming** (FOSS)
 5. Execute, understand, and modify **R scripts**
 6. Write **basic R code**, see the capabilities
- 

Discussions

1. What do we/you use computers for?



Discussions

1. What do we/you use computers for?
2. In (geo)sciences what do you use computers for? What kind of software?



Discussions

1. What do we/you use computers for?


2. In (geo)sciences what do you use computers for? What kind of software?

Presentation
Publishing, Typesetting
Multimedia consumption
Internet Browsing
Email, Communication
Graphics Vector, Raster, 3D
Software Development
Data Processing/Analysis
Statistical Analysis and Modelling
Computation
GIS
Web Design
File management



Files and directories

The practical point of view




(Almost) everything that you work on is in a file.

Avoid this!




Solution: hierarchy

- **Regular file**: cannot contain other files
- **Directory**: special file, does not store anything but **other files (can be empty)**
- Directories **do not actually contain data**, this is just an abstract representation, just references to other files
- Copying vs Moving (renaming) speed difference!



Exercise


- Create a directory that represents this semester of your studies!
- Make directories for every class that you will have this semester! (including this)





Exercise

- Create a directory that represents this semester of your studies!
- Make directories for every class that you will have this semester! (including this)

Program/degree





Semester



Class1 Class2 Class3

Where did you create this?



The file's path



Absolute path

A faint, stylized globe graphic is located in the bottom right corner of the slide, partially overlapping the "Absolute path" text and the "Filename" label.

The file's path



Note: Things are easier if this does not have any spaces!

No Spaces?

- Systematic rules to represent text with one word
- Variable/Object names - Language dependent conventions


Naming Convention	Example Format
Pascal Case	PascalCase
Camel Case	camelCase
Snake Case	snake_case
Kebab Case	kebab-case
Flat Case	flatcase
Upper Flat Case	UPPERFLATCASE
Pascal Snake Case	Pascal_Snake_Case
Camel Snake Case	camel_Snake_Case
Screaming Snake Case	SCREAMING_SNAKE_CASE
Train Case	Train-Case
Cobol Case	COBOL-CASE

Exercise

Rename your class directories to match one of your preferred cases! (e.g. snake case)



The file's extension





a) The file extension indicates to the operating system (and you!) how to handle the file.

b) This is not a hard constraint! Changing the extension will not make the file's contents different in any way!

Windows - files


- Files are data items on storage devices
- Multiple roots e.g. C:, each correspond to a **partition**
- Paths use the characteristic **backslash ** character to depict nestedness
- Directories are called “**Folders**”
- Executables: filename.exe
- Total path to “Branding”:
- C:\Windows\Branding
- Case insensitive!
- FAT32 and NTFS



Windows - files



- Paths Always present, if you don't see it
- To make the directory hierarchy novice-friendly, Windows creates “aliases” that look nice, but are not functional!
- User's home directory is by default: `C:\Users\<Username>\`
- Desktop: `C:\Users\<Username>\Desktop`
- The program to view files is “`Explorer.exe`”




UNIX File system

UNIX®

A Standard of The Open Group®

- Shared for UNIX and UNIX-like systems (GNU/Linux, macOS, Android)
- More abstract: everything in the computer is represented by a file
- ~ Standard directory names
- Nestedness coded with forward slash : /
- File can be anything
- Executables don't have extensions
- Complete path to "bar"
- /home/mthomas/class_stuff/bar
- Case sensitive!



Archives

Excellent for storing and transmitting files – entire directory structures

Two processes:

- a) creating an **archive**: one file from multiple files
- b) employing **lossless compression**: algorithm to make decrease the size of a file

Examples: zip, rar, gzip, bzip2, tgz (e.g. .tar.gz)




Compression is everywhere!

- Often part of I/O (input/output)
- Multimedia (codecs)



**TAR COMMAND
EXAMPLES**




Exercise

- Go to this page
- Download **data.zip**
- Uncompress the file!
- Copy contents into a new directory (e.g. day_1) in this class' directory!

Computers in Geosciences course

2024



About

This webpage contains material that is taught at **Computers in Geosciences** course the *Friedrich-Alexander-Universität Erlangen-Nürnberg (FAU)*. The course is tied together with the international Paleobiology program at the FAU. More information about the course can be found at paleobiology.nat.fau.de.

Iterations

Year	Dates	Instructors	Material
2023	October 09-13	Ádám Kocsis, Sebastian Teichert, Christian Schulbert, Wolfgang Kiessling	Material of the 2023 course
2024	October 07-11	Ádám Kocsis, Sebastian Teichert, Christian Schulbert, Wolfgang Kiessling	Material of the 2024 course

Schedule

Calendar Date	Day	Topic	Instructor
Oct 7	Monday	Introduction, Files and BASH essential	Kocsis
Oct 8	Wednesday	Open Source software, Programming basics. R as a calculator. Example script.	Kocsis
Oct 9	Tuesday	Raster and Vector Image processing	Teichert, Schulbert
Oct 10	Thursday	R basic features (script reading and modification), Data analysis and statistics,	Kocsis, Kiessling

Hints and tips for file management

- Keep all your stuff together (separate partition!)
- Logical hierarchy
- Make it portable (Windows!)
- Regularly spend time on organizing and cleaning files
- Naming and grouping: self-explanatory – make it for somebody else (you!)
- Avoid spaces in paths
- Cloud backups!



Novice- vs Expert-friendly tools

No program is perfectly user-friendly! Depending on the task at hand:


Novice-friendly

- Graphical User Interface (GUI)
- No or very basic training
- Quick learning
- Lower final efficiency
- Visually appealing




Expert-friendly

- Command Line Interpreter (CLI) or **Text-based** interface
- Education/training is necessary
- Eventually higher efficiency
- Visuals: usually invisible!
- Programmable



Working with text is essential

Recommendation: get a code editor!



The image shows the Visual Studio Code website on the left and the Visual Studio Code editor interface on the right. The website features the text "Code editing. Redefined." and "Free. Built on open source. Runs everywhere." Below this are buttons for downloading the .deb and .rpm packages. The editor interface shows the "EXTENSIONS: MARKETPLACE" sidebar with a list of extensions like Python, GitLens, C/C++, ESLint, and others. The main editor area displays a JavaScript file named "blog-post.js" with code for a GraphQL query and a React component. The bottom status bar shows the file is at line 6, column 21, in UTF-8 encoding.

Visual Studio Code Docs Updates Blog API Extensions FAQ Learn

Search Docs Download

Code editing. Redefined.

Free. Built on open source. Runs everywhere.

Download .deb Debian, Ubuntu... Download .rpm Red Hat, Fedora... More options

Web, Insiders edition, or other platforms

By using VS Code, you agree to its [license and privacy statement](#).

Visual Studio Code - Insiders

File Edit Selection View Go Debug Terminal Help

EXTENSIONS: MARKETPLACE

@sort:installs

- Python 2019.6.24221 55.9M 4.5 Linting, Debugging (multi-threaded,... Microsoft Install
- GitLens — Git sup... 9.9.2 25.3M 5 Supercharge the Git capabilities buil... Eric Amodio Install
- C/C++ 0.24.1 24.2M 3.5 C/C++ IntelliSense, debugging, and c... Microsoft Install
- ESLint 1.9.0 22.1M 4.5 Integrates ESLint JavaScript into VS ... Dirk Baeumer Install
- Debugger for Chr... 4.11.7 21.4M 4 Debug your JavaScript code in the C... Microsoft Install
- Language Supp... 0.47.0 19.3M 4.5 Java Linting, Intellisense, formatin... Red Hat Install
- vscode-icons 9.2.0 18.6M 5 Icons for Visual Studio Code VSCode Icons Team Install
- Vetur 0.21.1 17.2M 4.5 Vue tooling for VS Code Pine Wu Install
- C# 1.21.0 16.4M 4 C# For Visual Studio Code (powered ... Microsoft Install

blog-post.js x JS index.js JS utils.js

```
src > components > JS blog-post.js > <function> > @blogPost
1 import { graphql } from "gatsby"
2 import React from "react"
3 import Image from "gatsby-image"
4
5 export default ({ data }) => {
6   const blogPost = data.cms.blogPost
7   return (
8     <div>
9       <blogPost>
10         <debug>
11           <blogPost>
12             <decodeURI>
13               <Image>
14                 <decodeURIComponent>
15               </Image>
16             <default>
17               <h1>
18                 <blogPost>
19                 <defaultStatus>
20                 <div>
21                   <Post>
22                   <delete>
23                   <div>
24                     <danger>
25                     <departFocus>
26                     <devicePixelRatio>
27                     <dispatchEvent>
28                   </div>
29                 </div>
30               </h1>
31             </default>
32           </blogPost>
33         </debug>
34       </blogPost>
35     </div>
36   )
37 }
```

PROBLEMS TERMINAL

2: Task - develop

```
info | fwmj: Compiling...
DONE Compiled successfully in 79ms
info | fwmj:
info | fwmj: Compiled successfully.
```

Ln 6, Col 21 Spaces: 2 UTF-8 LF JavaScript

<https://code.visualstudio.com/>

Working with text is essential

Recommendation: get a code editor!

The image shows the Visual Studio Code website on the left and the Visual Studio Code editor interface on the right. The website features the text "Code editing. Redefined." and "Free. Built on open source. Runs everywhere." Below this are buttons for downloading the .deb and .rpm packages. The editor interface shows the "EXTENSIONS: MARKETPLACE" sidebar with a list of extensions like Python, GitLens, C/C++, ESLint, and Debugger for Chrome. The main editor area displays a JavaScript file named "blog-post.js" with code for a GraphQL query and a React component. The bottom status bar shows the current file is "blog-post.js" and it's a JavaScript file.

Visual Studio Code

Code editing.
Redefined.

Free. Built on open source. Runs everywhere.

Download .deb
Debian, Ubuntu...

Download .rpm
Red Hat, Fedora...

Web, Insiders edition, or other platforms

By using VS Code, you agree to its
license and privacy statement.

Visual Studio Code - Insiders

File Edit Selection View Go Debug Terminal Help

EXTENSIONS: MARKETPLACE

@sort:installs

- Python 2019.6.24221 55.9M 4.5
Linting, Debugging (multi-threaded,...
Microsoft [Install](#)
- GitLens — Git sup... 9.9.2 25.3M 5
Supercharge the Git capabilities buil...
Eric Amodio [Install](#)
- C/C++ 0.24.1 24.2M 3.5
C/C++ IntelliSense, debugging, and c...
Microsoft [Install](#)
- ESLint 1.9.0 22.1M 4.5
Integrates ESLint JavaScript into VS ...
Dirk Baeumer [Install](#)
- Debugger for Chr... 4.11.7 21.4M 4
Debug your JavaScript code in the C...
Microsoft [Install](#)
- Language Supp... 0.47.0 19.3M 4.5
Java Linting, Intellisense, formatin...
Red Hat [Install](#)
- vscode-icons 9.2.0 18.6M 5
Icons for Visual Studio Code
VSCode Icons Team [Install](#)
- Vetur 0.21.1 17.2M 4.5
Vue tooling for VS Code
Pine Wu [Install](#)
- C# 1.21.0 16.4M 4
C# For Visual Studio Code (powered ...

blog-post.js x JS index.js JS utils.js

```
src > components > JS blog-post.js > <function> > @blogPost
1 import { graphql } from "gatsby"
2 import React from "react"
3 import Image from "gatsby-image"
4
5 export default ({ data }) => {
6   const blogPost = data.cms.blogPost
7   return (
8     <div>
9       (blogPost) (dateFormat
10         (blogPost) (debug
11           blogPost (debugger
12             blogPost (decodeURI
13               <Image (decodeURIComponent
14             )
15             <h1>(blogPost) defaultStatus
16             <div>Poste (delete
17             <div> dange (departFocus
18             </div> (devicePixelRatio
19             (dispatchEvent
20           )
21         )
22       )
23     )
24   )
25 }
```

PROBLEMS TERMINAL

2: Task - develop

```
info | fwmj: Compiling...
DONE Compiled successfully in 79ms
info | fwmj:
info | fwmj: Compiled successfully.
```


Ln 6, Col 21 Spaces: 2 UTF-8 LF JavaScript

<https://code.visualstudio.com/>

Exercise: install VS Studio Code!

Working with text is essential

Recommendation: learn to touch type, if you don't know



Loads of resources available online!

e.g. <https://keybr.com>


R consolidation course!

Enter data < Write instructions



Why text? Universal language

- Easy to connect processes / programs



Why text? Text is actually numbers

Perfect balance between simplicity and complexity

- Text can be represented with numbers, e.g.

ASCII: <https://www.ascii-code.com/>


DEC	OCT	HEX	BIN	Symbol	HTML Number	HTML Name	Description
32	040	20	00100000	SP	 		Space
33	041	21	00100001	!	!	!	Exclamation mark
34	042	22	00100010	"	"	"	Double quotes (or speech marks)
35	043	23	00100011	#	#	#	Number sign
36	044	24	00100100	\$	$	$	Dollar
37	045	25	00100101	%	%	%	Per cent sign
38	046	26	00100110	&	&	&	Ampersand
85	125	55	01010101	U	U		Uppercase U
86	126	56	01010110	V	V		Uppercase V
87	127	57	01010111	W	W		Uppercase W
88	130	58	01011000	X	X		Uppercase X
89	131	59	01011001	Y	Y		Uppercase Y
90	132	5A	01011010	Z	Z		Uppercase Z
91	133	5B	01011011	[	[	[	Opening bracket
92	134	5C	01011100	\	\	\	Backslash
93	135	5D	01011101	]	]	]	Closing bracket
94	136	5E	01011110	^	^	^	Caret - circumflex
95	137	5F	01011111	_	_	_	Underscore
96	140	60	01100000	`	`	`	Grave accent
97	141	61	01100001	a	a		Lowercase a
98	142	62	01100010	b	b		Lowercase b

Binary code: 0 and 1

Why binary?

Simplest way to record information

- As type of data: True: (1) and False (0)
- Basis of scientific hypothesis testing – Hypothesis is a statement about reality, that can be answered with true or false. e.g.
- **It is raining outside. (TRUE/FALSE?)**
- Boolean Algebra (Logic)
- Easy to make machines process information




George Boole



Boolean algebra

The logical AND operation




George Boole

Input 1	Input 2	operation	Result
True	True	AND (&)	True
True	False	AND (&)	False
False	True	AND (&)	False
False	False	AND (&)	False

A: True


B: False

A & B = ?



Boolean algebra

The logical OR operation



George Boole

Input 1	Input 2	operation	Result
True	True	OR ()	True
True	False	OR ()	True
False	True	OR ()	True
False	False	OR ()	False


A: True

B: False

$A | B = ?$

Boolean algebra

The logical OR operation



George Boole

Input 1	Input 2	operation	Result
True	True	OR ()	True
True	False	OR ()	True
False	True	OR ()	True
False	False	OR ()	False

A: True

B: False

$A | B = ?$


C: True

$(A \& B) | C = ?$

Boolean algebra

The logical NOT operation

Input 1	Input 2	operation	Result
True	False	NOT (!)	False
False	True	NOT (!)	True



George Boole

A: True

!A = ?


B: True

C: True


!(A & B) | C = ?

Digital vs Analogue information

Used to build up elementary building blocks of computers



Global Information Storage Capacity in optimally compressed bytes



Source: Hilbert, M., & López, P. (2011). The World's Technological Capacity to Store, Communicate, and Compute Information. *Science*, 332(6025), 60–65. <http://www.martinhilbert.net/WorldInfoCapacity.html>

Computing and programmi



- The concept of calculation: how much is $651/7$?

You have 651 balls.

1. You go through them one-by one.
2. You put every 7th ball in a bin.
3. After done, count the balls. (divisor)



Computing and programming




- The concept of calculation: how much is $651/7$?

You have 651 balls.

1. You go through them one-by one.
2. You put every 7th ball in a bin.
3. After done, count the balls. (divisor)

- You can do this with electricity




Logic Gates


Boolean algebra is relatively simple to implement with physics

True: Electricity!

False: No electricity.





George Boole



https://www.youtube.com/watch?v=_ldfWkZgX1Y

Logic Gates

Used to build up elementary building blocks of computers



Transistors...

<https://en.wikipedia.org/wiki/MOSFET>

Computing and programming





- The concept of calculation: how much is $651/7$?

You have 651 balls.


1. You go through them one-by one.
2. You put every 7th ball in a bin.
3. After done, count the balls. (divisor)

- You can do this with electricity
- Use instructions to define a machine that calculates numbers that represent something else (programmable computer)



<https://www.youtube.com/shorts/i2k6jHHzK4s>


Building up more complex things



Structured text data types

List of entries

- The simplest thing ever
- Convention is to use .txt
- Entries are separated by new lines
- `coral_genera.txt`



The screenshot shows a text editor window titled 'coral_genera.txt'. The editor displays a list of 40 coral genera, each on a new line, numbered 1 through 40. The list includes: Acanthastrea, Acanthocoenia, Acanthogyra, Acropora, Acrosmilia, Actinacis, Actinaraea, Actinastrea, Actinhelia, Adegokeastrea, Adelocoenia, Adkinsella, Agaricia, Agathelia, Agathiphyllia, Aggomorphastraea, Agrostyliastraea, Alakiria, Alatotrochus, Allocoenia, Allocoeniopsis, Alloiteausmilia, Alpinophyllia, Alpinoseris, Alveolocyathus, Alveopora, Ampakabastraea, Amphistrea, Amphialastrea, Amphipora, Anacropora, Andemantastrea, Andrazella, Anisocoenia, Anisoria, Anomastrea, Anomocora, Anomopora, Anthemiphyllia, and Anthostylis. The editor interface includes a menu bar (File, Edit, View, Projects, LSP Client, Bookmarks, Sessions, Tools, Settings, Help), a sidebar with 'Documents', 'Projects', 'Git', and 'Filesystem Browser', and a status bar at the bottom showing 'Line 1, Column 1', 'INSERT', 'en_US', 'Soft Tabs: 4', 'UTF-8', and 'Normal'.

```
1 Acanthastrea
2 Acanthocoenia
3 Acanthogyra
4 Acropora
5 Acrosmilia
6 Actinacis
7 Actinaraea
8 Actinastrea
9 Actinhelia
10 Adegokeastrea
11 Adelocoenia
12 Adkinsella
13 Agaricia
14 Agathelia
15 Agathiphyllia
16 Aggomorphastraea
17 Agrostyliastraea
18 Alakiria
19 Alatotrochus
20 Allocoenia
21 Allocoeniopsis
22 Alloiteausmilia
23 Alpinophyllia
24 Alpinoseris
25 Alveolocyathus
26 Alveopora
27 Ampakabastraea
28 Amphistrea
29 Amphialastrea
30 Amphipora
31 Anacropora
32 Andemantastrea
33 Andrazella
34 Anisocoenia
35 Anisoria
36 Anomastrea
37 Anomocora
38 Anomopora
39 Anthemiphyllia
40 Anthostylis
```

Structured text data types

(csv) Comma-Separated Values

- Frequently used to represent tabular data
- Rows in lines
- Values separated by commas
- Example: corals.csv

```
"10422","occ","","","601","Phacops sp.","genus","21701","","Phacops","genus","21701","Pragian","","410.8","407.6","60918"
"10438","occ","","","602","Proetida indet.","order","21062","","Proetida","order","21062","Pragian","","410.8","407.6","27289"
"10439","occ","","","602","Phacops sp.","genus","21701","","Phacops","genus","21701","Pragian","","410.8","407.6","27289"
"10440","occ","","","602","Leonaspis sp.","genus","19814","","Leonaspis","genus","19814","Pragian","","410.8","407.6","27289"
"10558","occ","","","605","Dalmanites sp.","genus","21523","","Dalmanites","genus","21523","Emsian","","407.6","393.3","60970"
"10559","occ","","","605","Phacops sp.","genus","21701","","Phacops","genus","21701","Emsian","","407.6","393.3","60970"
"10567","occ","","","606","Leonaspis sp.","genus","19814","","Leonaspis","genus","19814","Emsian","","407.6","393.3","60984"
"10568","occ","","","606","Phacopida indet.","order","21421","","Phacopida","order","21421","Emsian","","407.6","393.3","60984"
"10569","occ","","","606","Dechenella sp.","genus","21144","","Dechenella","genus","21144","Emsian","","407.6","393.3","60984"
"10573","occ","","","607","Basidechenella ? sp.","genus","21087","","Basidechenella","genus","21087","Emsian","","407.6","393.3","60984"
"10574","occ","","","607","Otarion sp.","genus","21275","","Otarion","genus","21275","Emsian","","407.6","393.3","60984"
"10575","occ","","","607","Proetida indet.","order","21062","","Proetida","order","21062","Emsian","","407.6","393.3","60984"
"10576","occ","","","607","Terataspis sp.","genus","19765","","Terataspis","genus","19765","Emsian","","407.6","393.3","60984"
"10577","occ","","","607","Leonaspis sp.","genus","19814","","Leonaspis","genus","19814","Emsian","","407.6","393.3","60984"
"10631","occ","","","608","Phacops sp.","genus","21701","","Phacops","genus","21701","Emsian","","407.6","393.3","13441"
"10683","occ","","","612","Phacopida ? indet.","order","21421","","Phacopida","order","21421","Eifelian","","393.3","387.7","17056"
"10704","occ","","","613","Phacopida ? indet.","order","21421","","Phacopida","order","21421","Eifelian","","393.3","387.7","61511"
"10716","occ","","","614","Otarion sp.","genus","21275","","Otarion","genus","21275","Eifelian","","393.3","387.7","272"
"10745","occ","","","616","Leonaspis sp.","genus","19814","","Leonaspis","genus","19814","Eifelian","","393.3","387.7","61110"
"10746","occ","","","616","Proetus sp.","genus","21327","","Proetus","genus","21327","Eifelian","","393.3","387.7","61110"
"10784","occ","","","619","Otarion sp.","genus","21275","","Otarion","genus","21275","Eifelian","Givetian","393.3","382.7","61512"
"10811","occ","","","621","Proetida ? indet.","order","21062","","Proetida","order","21062","Eifelian","Givetian","393.3","382.7","61512"
"10820","occ","","","622","Dechenella sp.","genus","21144","","Dechenella","genus","21144","Eifelian","Givetian","393.3","382.7","61512"
"10971","occ","","","627","Dechenella sp.","genus","21144","","Dechenella","genus","21144","Givetian","","387.7","382.7","841"
"10972","occ","","","627","Phacops sp.","genus","21701","","Phacops","genus","21701","Givetian","","387.7","382.7","841"
"10973","occ","","","627","Greenops sp.","genus","21588","","Greenops","genus","21588","Givetian","","387.7","382.7","841"
"10974","occ","","","627","Trimerus sp.","genus","21805","","Trimerus","genus","21805","Givetian","","387.7","382.7","841"
"11038","occ","","","632","Proetus sp.","genus","21327","","Proetus","genus","21327","Frasnian","","382.7","372.2","61501"
"11099","occ","","","640","Trimeroccephalus sp.","genus","21804","","Trimeroccephalus","genus","21804","Late Devonian","","382.7","358.9","60994"
```


Some structured text “languages”

(csv) Comma-Separated Values (variants)

- Separator can be different (e.g. semicolon (;) or white-space (\t, \s))
- Semicolon-separated example: `stages.csv`
- Tab-delimited: `penguins.tab`



Structured text data types




(JSON) JavaScript Object Notation

- Text-based format of key-value pairs

```
{  
  "firstname": "Adam",  
  "lastname": "Kocsis"  
}
```



Structured text data files




(JSON) JavaScript Object Notation

- Text-based format of key-value pairs
- Allows hierarchical structuring, multiple values/keys ('array')
- Can be made complicated, but very straightforward

```
{
  "firstName": "John",
  "lastName": "Smith",
  "isAlive": true,
  "age": 27,
  "address": {
    "streetAddress": "21 2nd Street",
    "city": "New York",
    "state": "NY",
    "postalCode": "10021-3100"
  },
  "phoneNumbers": [
    {
      "type": "home",
      "number": "212 555-1234"
    },
    {
      "type": "office",
      "number": "646 555-4567"
    }
  ],
  "children": [
    "Catherine",
    "Thomas",
    "Trevor"
  ],
  "spouse": null
}
```

Structured text data files



(YAML) Yet Another Markup Language

- Similar Text-based format that allows hierarchical structuring
- Key-value pairs
- Similar to JSON

```
- name: Computers in Geosciences
  nickname: Computers in Geosciences
  ref: computers
  group:
    - key
    - wahl
  short: "Usually just called the 'computers course'"
  note: "As many other courses in the Paleobiology ma"
  more: "Essential tasks on the computer including ima"
  evaluation: "Attendance and participation is require"
  administrator: kocsis
  instructors:
    - kiessling
    - teichert
    - kocsis
  ects: 5
  campo: "https://www.campo.fau.de:443/qisserver/pages"
  studon: "https://www.studon.fau.de/crs1321742.html"
  photos:
  thumbnail: "images/courses/thumbnails/computers.jpg"
  image:
    title: "images/courses/big/computers.jpg"
  form: "1 week block course."
  type: "practical"
```

Structured text data files



HTML (Hypertext Markup Language)

- Used to structure webpages, based on 'tags'
- Also used for interface development

```
1 <!DOCTYPE html>
2 <html>
3   <head>
4     <meta charset="UTF-8">
5     <title>Title goes here</title>
6   </head>
7   <body>
8
9   </body>
10 </html>
```


CSS (Cascading Style Sheets)

- Adding formatting to webpages

WITH CSS



WITHOUT CSS



Structured text data files

XML (eXtensible Markup Language)



- Storing Arbitrary Data
- Very similar to HTML
- Many file formats are based on this (OOXML, e.g. MS Office)




Structured text data files

TeX/LaTeX

TeX

- Markup language for typesetting documents (e.g. creating .pdf files)
- LaTeX is a generalized implementation
- Excellent for mathematical expressions


$${}^w\phi = {}^w f^{-1}({}^0 f({}^0 \phi))$$



Programs: MikTeX, Tex Live

Structured text data files

Markdown



- Developed for easier web development
- Very clean and easy syntax
- Frequently used in 'literate programming'*
- Various flavors (e.g. R-markdown)

*Methodology that combines programming with a documentation language